


The EZY STIK II is a mechanical steering system designed so the operator may be positioned in the front of the boat for better visibility and convenience. This system is rated for engines NOT to exceed 70 HP. Any length not listed can be special ordered.

## "STIK II" MODEL 840


*Ezy-Glide*  
Inc.  
Marine Steering Systems

*Special Order Only  
7-10 Day Delivery*

KITS \$459.99		CABLE ONLY \$224.99	
Length	Order No.	Length	Order No.
8'	18745 <sub>T</sub>	8'	18760 <sub>T</sub>
9'	18746 <sub>T</sub>	9'	18761 <sub>T</sub>
10'	18747 <sub>T</sub>	10'	18762 <sub>T</sub>
11'	18749 <sub>T</sub>	11'	18764 <sub>T</sub>
12'	18751 <sub>T</sub>	12'	18766 <sub>T</sub>
13'	18753 <sub>T</sub>	13'	18768 <sub>T</sub>
14'	18755 <sub>T</sub>	14'	18770 <sub>T</sub>
15'	18756 <sub>T</sub>	15'	18771 <sub>T</sub>




70 HP MAX.




## E.Z. STEER™

**Steering For Your Auxiliary Outboard Motor**  
Steer Your Auxiliary O/B From Your Main Units Steering Wheel



*Use with stern drive or outboard  
whether transom mount or extended bracket.  
Main motor or auxiliary outboard  
may be raised together or independently.  
No holes to drill for installations*



Mfg #	Description	Order No.	Retail
10001	19"-22" Short Rod Assy.	18735 <sub>T</sub>	\$209.99
10002	23"-26" Standard Rod Assy.	18736 <sub>T</sub>	209.99
10003	29"-33" Long Rod Assy.	18737 <sub>T</sub>	209.99
50010	Small O/B Bracket	18738 <sub>T</sub>	90.99
60010	Large O/B Bracket	18741 <sub>T</sub>	93.99
18020	SST Bands (2/pk)	18742 <sub>T</sub>	34.99
13200	Quick Disconnect	18743 <sub>T</sub>	20.99

## DOMETIC



### Hydraulic Steering Kit

For boats up to 350 hp

Allows independent engine tilt in dual engine installation. Five turns lock-to-lock Hydraulic system makes steering effortless compared to mechanical steering systems.

*\*Hoses NOT included\**

Mfg #HK-6400A3

**Order No. 60048<sup>TF</sup>** \$1489.99

## DOMETIC



### Dometic Baystar Steering Kit

Suitable for most single-outboard powered boats rated up to 150hp including runabouts and inflatables. Fast, easy installation. 5 turns lock to lock. Not recommended for use with high performance engines

*\*Hoses NOT included\**

Mfg #HK4300-4

**Order No. 60047<sup>TF</sup>** \$869.99

## DOMETIC

5/16" I.D.



### Hydraulic Hose Kits

- Measure Hose Path or Existing Cable and ADD 24".



Mfg #	Size	Order No.	Retail
HO5102	2' Hose Set	<b>60060<sup>TF</sup></b>	\$164.99
HO5104	4' Hose Set	<b>60061<sup>TF</sup></b>	164.99
HO5106	6' Hose Set	<b>60062<sup>TF</sup></b>	164.99
HO5108	8' Hose Set	<b>60063<sup>TF</sup></b>	164.99
HO5110	10' Hose Set	<b>60064<sup>TF</sup></b>	164.99
HO5114	14' Hose Set	<b>60054<sup>TF</sup></b>	164.99
HO5116	16' Hose Set	<b>60056<sup>TF</sup></b>	164.99
HO5118	18' Hose Set	<b>60058<sup>TF</sup></b>	166.99
HO5120	20' Hose Set	<b>60059<sup>TF</sup></b>	169.99

## DOMETIC

### Pro Sport Tilt Helm

- 5 Wheel positions of tilt.
- 48° tilt range (12° down, 36° up)
- Remote fill point



Mfg #HH6190-3

**Order No. 60097<sup>TF</sup>** \$1186.99

## DOMETIC

### Pro Helm

Requires 3" cut out on dash. Complete with elbow fittings.



Mfg #HH5770-3

**Order No. 60096<sup>TF</sup>** \$914.99

## DOMETIC

Mfg #	Size	Order No.	Retail
HA5430H	Quart	<b>60099<sup>TF</sup></b>	\$29.99
HA5440H	Gallon	<b>60100<sup>TF</sup></b>	109.99



## DOMETIC



### Standard Hydraulic Cylinder (Single Engine)

Mfg #HC5345-3

**Order No. 60072<sup>TF</sup>** \$869.99

Navigation  
Lites

Steering/  
Controls

Hardware/  
Fasteners

Covers/  
Windshield

Pumps/  
Int. Lites

Electric/  
Battery

Trolling  
Motor

Gauges

Electronics/  
Radios

Fuel

Lube/  
Motor Care

Aux. Brkts/  
Tilt/Trim

Spark Plug/  
Starters

Props

Seats/  
Pedestals

Anchors/  
Rod Holder

Winches/  
Jacks

Lites/  
Tie Downs

Tires/  
Couplers

Boat  
Care

Misc./  
Flooring

Ski's/Tubes

Floatation

Ladders

Water  
Front

Fenders/  
Dock Lines

Navigation  
LitesSteering/  
ControlsHardware/  
FastenersCovers/  
WindshieldPumps/  
Int. LitesElectric/  
BatteryTrolling  
Motor

Gauges

Electronics/  
Radios

Fuel

Lube/  
Motor CareAux. Brkts/  
Tilt/TrimSpark Plug/  
Starters

Props

Seats/  
PedestalsAnchors/  
Rod HolderWinches/  
JacksLites/  
Tie DownsTires/  
CouplersBoat  
CareMisc./  
Flooring

Ski's/Tubes

Floataion

Ladders

Water  
FrontFenders/  
Dock Lines**Cylinder Spacer Kit**

Honda 1998 to Date - 30 & 50 HP  
 OMC/Suzuki 1998 to Date - 65 & 70 HP  
 Mercury 1998 to Date - All 40 thru 60 HP  
 Yamaha 1998 to Date - 40 thru 60, & 90 HP  
 Suzuki 1998 to Date - 115-140 HP  
 Force 1985-1994 - 90/150 HP

**→ DOMETIC**

Mfg #HO5090

**Order No. 60086<sub>TF</sub>** \$40.99**3/8" Tube to 1/4" NPT**

• Male Connector • 3 Pack

**→ DOMETIC**

Mfg #HF5528

**Order No. 60066<sub>TF</sub>** \$29.99**Orb Fitting Kit 45° Elbow**

• 3/8" • 2/pack

**→ DOMETIC**

Mfg #HF6011

**Order No. 60067<sub>TF</sub>** \$44.99**Cylinder Wrench Kit**

Compact design.  
 Fits 4 and 8 hole end glands.

**→ DOMETIC**

Mfg #HS5300

**Order No. 60087<sub>TF</sub>** \$130.99**Seastar High HorsePower Tiller Bolt****→ DOMETIC**

Mfg #HA5822

**Order No. 60076<sub>TF</sub>** \$29.99**Kit Tiller Bushing/Bolt-3 Pvt Cyl****→ DOMETIC**

Mfg #HA5829

**Order No. 60075<sub>TF</sub>** \$39.99**BayStar Cylinder Pivot Plate for Yamaha****→ DOMETIC**

Mfg #HA4640

**Order No. 60043<sub>TF</sub>** \$89.99**90° Elbow Fitting****→ DOMETIC**

Mfg #HF6145

**Order No. 60079<sub>TF</sub>** \$44.99**Quad Ring Seal Kit for Helms****→ DOMETIC**

Mfg #HP6032

**Order No. 60083<sub>TF</sub>** \$15.99**Hardware Kit for All Cylinders**

Mfg #HP6033

**Order No. 60080<sub>TF</sub>** \$69.99**20 Degree Wedge Kit**

Mfg #HA5419

**Order No. 60095<sub>TF</sub>** \$115.99**Kit Includes:**

2 washers-202300  
 1 sprc & boot-828016  
 1 adj. nut-828085  
 2 spacers-995876  
 1 spacer-996689

**→ DOMETIC****Helm Oil Fill Kit**

Mfg #HA5438

**Order No. 60098<sub>TF</sub>** \$29.99**Replacement vented fill plug**

Mfg #HP6126

**Order No. 60091<sub>TF</sub>** \$10.99**→ DOMETIC****Hyd. Seal Kit Snap Ring End Caps**

Mfg #HS5152

**Order No. 60085<sub>TF</sub>** \$85.99**BayStar Cylinder Seal Kit**

Mfg #HP4600

**Order No. 60084<sub>TF</sub>** \$144.99**SeaStar Cylinder Seal Kit**

Mfg #HS5157 Kit

**Order No. 60082<sub>TF</sub>** \$194.99

Mfg #HS5167 Glands Only

**Order No. 60081<sub>TF</sub>** \$159.99**Bleed Nipple**

Mfg #HF5548

2 per kit

**Order No. 60078<sub>TF</sub>** \$32.99**Horizontal Bleeder Tee**

Mfg #HF5520

2 per kit

**Order No. 60077<sub>TF</sub>** \$99.99



**GoTech Hydraulic Outboard Steering System**  
Steering solution for pontoon boats and other boats with moderate torque. Designed to handle 4-stroke OB engines up to 115HP. Eliminates steering torque that can occur in some mechanical steering applications.

- Max. HP: 115
- Helm: UP 18 F front mount
- Turns Lock-to-Lock: 4.5
- 30' of nylon tubing
- 2 quarts 15SAE oil
- Warranty: 2 years



Mfg #	Order No.	Retail
GOTECH 1.0	63240 <sub>TF</sub>	\$1019.99



**HyTech Hydraulic Outboard Steering System**  
Features a unique split tilt tube rod for installation of the cylinder without removing the engine. Steering solution for boats with 150HP engines and under. Includes a composite UP20 helm for effortless steering. Applicable for almost all 2 and 4 stroke OB's. Hytech 1.0 is not suitable for Honda BF115 and BF130 engines and Mercury Optimax™ 75, 90, 115. For these engines HyTech 3.0 is available.

- Max. HP: 150
- Helm: UP 20 F front mount
- Turns Lock-to-Lock: 5
- 40' of nylon tubing
- 2 quarts 15SAE oil
- Warranty: 2 years



Mfg #	Order No.	Retail
HYTECH 1.0	63241 <sub>TF</sub>	\$1029.99



### ProTech Hydraulic Outboard Steering System

The ProTech is built for longevity and peak performance with a stainless steel helm shaft, heavy duty shaft seals, carbon steel piston, 304 electro polished and passivated stainless link assemblies. Adjustable boss style fittings to allow for easy hose routing.

- Max. HP: 300 • Helm: UP 28 F front mount • Turns Lock-to-Lock: 4.3
- Hoses sold separately • 2 quarts 15SAE oil • Warranty: 2 years

Mfg #	Description	Order No.	Retail
PROTECH 1.0	See Application Chart	63242 <sub>TF</sub>	\$1399.99
PROTECH 2.0	See Application Chart	63244 <sub>TF</sub>	1399.99
PROTECH 3.0	See Application Chart	63246 <sub>TF</sub>	1399.99



### Hydraulic Steering Hoses

Consists of a pair of high pressure hoses supplied with preassembled fittings on both ends. Sold as pairs.

Mfg #	Order No.	Retail
KITOB-14'	63262 <sub>TF</sub>	\$159.99
KITOB-16'	63264 <sub>TF</sub>	159.99
KITOB-18'	63266 <sub>TF</sub>	159.99
KITOB-20'	63268 <sub>TF</sub>	164.99

Navigation  
LitesSteering/  
ControlsHardware/  
FastenersCovers/  
WindshieldPumps/  
Int. LitesElectric/  
BatteryTrolling  
Motor

Gauges

Electronics/  
Radios

Fuel

Lube/  
Motor CareAux. Brkts/  
Tilt/TrimSpark Plug/  
Starters

Props

Seats/  
PedestalsAnchors/  
Rod HolderWinches/  
JacksLites/  
Tie DownsTires/  
CouplersBoat  
CareMisc./  
Flooring

Ski's/Tubes

Floatation

Ladders

Water  
FrontFenders/  
Dock Lines




**ProTech Hydraulic Outboard Steering System Application Chart**

Engine	Power	Year	Packaged Kit	Single Cylinder
Evinrude	E75-E90 2 Stroke	2004-to date	Protech 2.0	UC128OBF-2
Evinrude	E115-E130-E135 2 Stroke V4	1995-to date	Protech 2.0	UC128OBF-2
Evinrude	E150-E175-E200 2 Stroke V6	1995-to date	Protech 2.0	UC128OBF-2
Evinrude	E200 HO-E225-E250 2 Stroke V6	1995-to date	Protech 2.0	UC128OBF-2
Evinrude	E250 HO-E300 2 Stroke V6		Protech 2.0	UC128OBF-2
Honda	BF75-90 4 Stroke	1995- to date	Protech 1.0	UC128OBF-1
Honda	BF115D	1998 - 2009	Protech 3.0	UC128OBF-3
Honda	BF115A	2009-to date	Protech 1.0	UC128OBF-1
Honda	BF130A	1998 - 2005	Protech 3.0	UC128OBF-3
Honda	BF135-150 4 Stroke	2005-to date	Protech 1.0	UC128OBF-1
Honda	BF90-BF150 V-TEC 4 Stroke	2008-to date	Protech 1.0	UC128OBF-1
Honda	BF175-200-250 4 Stroke	2001-to date	Protech 1.0	UC128OBF-1
Johnson	BJ90-115-140 4 Stroke	2001 - 2007	Protech 1.0	UC128OBF-1
Johnson	J90-115 V4 2 Stroke	1995 - 2007	Protech 2.0	UC128OBF-2
Johnson	J150-175 V6 2 Stroke	1995 - 2007	Protech 2.0	UC128OBF-2
Johnson	J200-225 V6 4 Stroke	2004 - 2007	Protech 2.0	UC128OBF-2
Mercury/Mariner	75-90-115-125 Optimax 2 Stroke	2004-to date	Protech 3.0	UC128OBF-3
Mercury/Mariner	135-150-175 Optimax 2 Stroke	1999-to date	Protech 1.0	UC128OBF-1
Mercury/Mariner	200-225-250 Optimax 2 Stroke	1999-to date	Protech 1.0	UC128OBF-1
Mercury/Mariner	Racing 300 Optimax 2 Stroke	1999 - 2011	Protech 1.0	UC128OBF-1
Mercury/Mariner	100-115-EFI 4 Stroke	2007-to date	Protech 1.0	UC128OBF-1
Mercury/Mariner	115-125-150 EFI 2 Stroke	1990 - 2007	Protech 1.0	UC128OBF-1
Mercury/Mariner	225-250 EFI 2 Stroke	2000 - 2007	Protech 1.0	UC128OBF-1
Mercury/Mariner	250 Saltwater EFI 4 Stroke	2007 - 2011	Protech 1.0	UC128OBF-1
Mercury/Mariner	135 Verado L4 4 Stroke	2004 - 2006	Protech 1.0	UC128OBF-1
Mercury/Mariner	150-175-200 Verado L4 4 Stroke	2004-to date	Protech 1.0	UC128OBF-1
Suzuki	DF70-80-90 4 Stroke	1998-to date	Protech 2.0	UC128OBF-2
Suzuki	DF100-115-140 4 Stroke	1998-to date	Protech 1.0	UC128OBF-1
Suzuki	DF150-175 4 Stroke	2006-to date	Protech 1.0	UC128OBF-1
Suzuki	DF200-DF225-DF250-DF300		Protech 2.0	UC128OBF-2
Tohatsu	115-120-140 2 Stroke	2004-to date	Protech 2.0	UC128OBF-2
Tohatsu	70-90-115 TLDI 4 Stroke	2004-to date	Protech 1.0	UC128OBF-1
Yamaha	75C-90 2 Stroke	1998-2008	Protech 2.0	UC128OBF-2
Yamaha	115C-130B 2 Stroke	1990-2008	Protech 2.0	UC128OBF-2
Yamaha	150F-200F-250G 2 Stroke	1996-2007	Protech 2.0	UC128OBF-2
Yamaha	150 HPDI VMAX 2 Stroke	2000-2008	Protech 2.0	UC128OBF-2
Yamaha	175-200-225-250-300 HPDI VMAX 2 St	2000-2008	Protech 2.0	UC128OBF-2
Yamaha	F70	2010-to date		UC128OBF-1P
Yamaha	F90-F100-F115-F150 EFI 4 Stroke	1999-2007	Protech 1.0	UC128OBF-1
Yamaha	F200-F225-F250- F300 4 Stroke	2002-to date	Protech 2.0	UC128OBF-2
Yamaha	F115-F150	2004-to date	Protech 1.0	UC128OBF-1

**WARNING:** These recommendations should be used as a general reference only. Final selection should be made with the assistance of a qualified installation technician. For any further information please contact our technical service.

*Power Purge JR***Power Purge, Jr.**

The Power Purge, Jr. is the quickest way to bleed a SeaStar® or BayStar® system and assure a rock-solid steering feel every time! Dramatically reduces purging time. Increased quality of system purge for solid, responsive steering feel. Fast and efficient set-up; easy to operate. Screens contaminants from oil. Quick connect fittings. Uses a 12-volt boat battery.

Mfg #HA5445-2

**Order No. 60093<sub>TF</sub>** \$1435.99

**Special Order Only**  
**7-10 Day Delivery**

**PANTHER****Outboard Stabilizer Clips**

Snap over outboard's hydraulic steering cylinder rods to help keep engine centered during trailering. Fits most cylinder rods 1997 and newer.

Mfg #55-2190

**Order No. 57158** \$15.99**Steer-Stop™ Hydraulic Steering Lock**

Locks hydraulic steering when trailering. Clips onto Hydraulic Steering Rams. Keeps engine straight and prevents damage to transom savers.

Mfg #SS-3-DP

**Order No. 57323** \$28.99**m-y wedge****Centering Clips**

Helps keep the engine straight during transportation. For hydraulic steering. UV Protected.

Mfg #M-YU123

**Order No. 43505<sub>TF</sub>** \$24.99**Ball Joint**

Exclusive design is spring loaded for zero end-play. 3/8-24 Thread.

Mfg #FBJ-9004

**Order No. 57860** \$47.99**PANTHER****Quick Disconnect - Zinc**

The ball stud is 3/8-24 thread by 1-7/8" long. Body is tapped for 3/8-24 threaded rod.

Mfg #	Description	Order No.	Retail
99-09028	Quick Disconnect	<b>25270</b>	\$14.99
99-05028	Ball Stud Only w/Hdwr	<b>25274</b>	11.99

**PANTHER****SS Auxilliary Motor Bracket Kit**

Kit includes:  
 Bracket, Washers, Bolt & Locktite.



Mfg #55-5705

**Order No. 57135** \$44.99**PANTHER****SS Drive Bracket**

Kicker tie bar kit drive bracket that will fit most common hydraulic steering units including Uflex.



Mfg #55-2950

**Order No. 57137<sub>TF</sub>** \$124.99Navigation  
LitesSteering/  
ControlsHardware/  
FastenersCovers/  
WindshieldPumps/  
Int. LitesElectric/  
BatteryTrolling  
Motor

Gauges

Electronics/  
Radios

Fuel

Lube/  
Motor CareAux. Brkts/  
Tilt/TrimSpark Plug/  
Starters

Props

Seats/  
PedestalsAnchors/  
Rod HolderWinches/  
JacksLites/  
Tie DownsTires/  
CouplersBoat  
CareMisc./  
Flooring

Ski's/Tubes

Floatation

Ladders

Water  
FrontFenders/  
Dock Lines

**PANTHER****Auxiliary Motor Steering Kit**

Connects a trolling motor to your main engine.  
Easy to install.

Mfg #55-2400

**Order No. 57133**

\$48.99

**attwood****Motor Steering Kit**

Connects a trolling motor to your main engine.  
Easy to install.



Mfg #11663-7

**Order No. 09280**

\$29.99

**SEASTAR**

**Retrofittable to Seastar Front Mount Cylinders.**  
**Drive/drag link from kicker motor Not Included.**

**Kicker Cable Tie Bar**

Allows a user to manually steer an auxiliary engine using their existing Seastar hydraulic steering system. Incorporate an *XTREME* cable as the linkage between the two engines.

**Features:**

- Flexible cable for locations of kicker motor.
- Allows independent trim/tilt of both engines.
- Allows full steering stroke of both engines.

Mfg #	Size	Order No.	Retail
HO6116	16" Cable	<b>60069<sub>TF</sub></b>	\$595.99
HO6122	22" Cable	<b>60070<sub>TF</sub></b>	604.99
HP6222	22" Replacement Cable Kit	<b>60071<sub>TF</sub></b>	244.99



Kicker or Trolling Motor single cylinder tiebar kit. May require trolling motor steering bracket supplied by engine manufacturer.



Mfg #HO6010

**Order No. 60068<sub>TF</sub>**

\$555.99

**Universal kicker motor tie bar kit**

This tie bar kit will fit on the front mount cylinder used in all OEM applications.



Mfg #HP6083

**Order No. 60092<sub>TF</sub>**

\$179.99

**PANTHER**

Kicker tie bar kit drive bracket that will fit most common hydraulic steering units including Seastar Solutions.

Mfg #55-2750

**Order No. 57136<sub>TF</sub>**

\$99.99

**PANTHER****Universal Kicker Motor Tie Bar Kit**

Kicker or Trolling Motor single cylinder tiebar kit. May require trolling motor steering bracket supplied by engine manufacturer.



Mfg #55-2700

**Order No. 57134<sub>TF</sub>**

\$294.99

## Zero Torque Tiller Steering System

Locks out the torque while the boat is not actively being steered. Consists of a hydraulic cylinder with a control valve that opens and closes following the operation made on the handle. The valve closes when the steering effort by the driver is stopped; as a consequence the cylinder locks the steering position.

The ZTF Tiller System is meant to be used with:

- Mercury Marine outboard engines of the 75-115HP EFI 4-stroke family of engines built since 2014.
- Yamaha outboard engines of 90-115-130HP produced from 2015 to date and engines of 150-175-200HP - models 2.7L F150 Mechanical, VF150 V MAX SHO, F175, VF175 V MAX SHO and F200 Mechanical
- Suzuki DF150A/175A/200A

# UFLEX

### Features:

- Hydraulic torque lockout
- Safer boat handling operations
- Consistent boat direction
- Fatigue reducer
- Does NOT include tiller handle
- 4-Stroke motors only

### Four Main Components:

1. Tiller handle (supplied directly by the engine manufacturer or any dealer)
2. Main Valve Device
3. UC128-ZTF hydraulic cylinder
4. Hydraulic hoses



- 2015 and newer motors
- For motors PRE-2015 70-90hp 4-stroke, also order #63288 install kit
- V4, not V6

# YAMAHA



Mfg #	Description	Order No.	Retail
ZTF Tiller Y1	90-130HP	<b>63238</b> <sup>TW</sup>	\$2299.99
KIT ND0-Y*	ZTF Y1 75HP Install Kit	<b>63288</b> <sup>TW</sup>	234.99
ZTF Tiller Y2	150-200HP	<b>63239</b> <sup>TW</sup>	2299.99

# SUZUKI

  
MARINE


- UC128-ZTF hydraulic cylinder on all models

Mfg #	Description	Order No.	Retail
ZTF Tiller S2	Suzuki DF150-200A	<b>63286</b> <sup>TW</sup>	\$2299.99

# MERCURY

  
Outboards


- 2014 & Newer "advanced" tiller handle only
- Will NOT work with "Big Tiller"

Mfg #	Description	Order No.	Retail
ZTF Tiller M2	Mercury 4 Stroke 75-115HP	<b>63285</b> <sup>TW</sup>	\$2299.99

## Electro Steering

Frees your hands from the steering wheel and allows you to steer your boat with the push of a button. Steers separate from your main engine. 24' harness. Quick response; quick disconnect. All component hardware is made of stainless steel. Black anodized finish.

**\*Special Order\***

Mfg #55-0101A  
Order No. **56921**<sup>TW</sup> \$649.99



# PANTHER

# PANTHER

## Wireless Remote Control (Optional)

200 ft. range. Operates on 12 volt battery. Works on all Panther Steering and Trim & Tilt units. Lanyard included.



Mfg #55-0105  
Order No. **57105**<sup>TW</sup> \$209.99

Navigation  
LitesSteering/  
ControlsHardware/  
FastenersCovers/  
WindshieldPumps/  
Int. LitesElectric/  
BatteryTrolling  
Motor

Gauges

Electronics/  
Radios

Fuel

Lube/  
Motor CareAux. Brkts/  
Tilt/TrimSpark Plug/  
Starters

Props

Seats/  
PedestalsAnchors/  
Rod HolderWinches/  
JacksLites/  
Tie DownsTires/  
CouplersBoat  
CareMisc./  
Flooring

Ski's/Tubes

Floatation

Ladders

Water  
FrontFenders/  
Dock Lines



## Through Tilt Tube Electro Steer

24' cable allows you to steer your kicker motor from anywhere in the boat. Mounts to your kicker motor in minutes. Does not take up space on your transom. 24' cable, mounting hardware, and two button hand-held remote included.\*

\*NE products do not include remote, will require TrollMasterPro 3+ to operate\*

T-4



T-5



T-4 unit shown here



T-4 requires 9" between motors

T-5 requires 4" between motors

Mfg #	Color	Order No.	Retail
55-0103	Black	<b>56922</b> <sup>TW</sup>	\$749.99
55-0103NE	Black	<b>56923</b> <sup>TW</sup>	639.99

Mfg #	Color	Order No.	Retail
55-0503	White	<b>56924</b> <sup>TW</sup>	\$829.99
55-0503NE	White	<b>56925</b> <sup>TW</sup>	764.99

## Xtreme Power Asisst



### Strong And Durable

This system differs vastly from competitive "electric helm" systems on the market, because it does not increase the load on the mechanical steering helm or cable. Once this system is installed, the mechanical steering cable now only turns the power assist unit, while the electric steering actuator actually turns the engine load. This ensures reliable long-term performance in real-world, on-the-water conditions.

### Key Benefits

- Significantly reduced steering effort provides a car-like driving experience for mechanically steered boats.
- Engineered to fit a wide range of single engine, mechanically steered outboard boats from 90-200HP.
- Integrates with any existing SeaStar rack or rotary cable steering system, so there is no need to install new steering to take advantage of this new technology.
- Designed as a self-contained, plug-and-play system which easily mounts to all major outboard brands and integrates with the boat's existing mechanical steering in less than 30 minutes.
- Built in Fail-safe System automatically reverts to mechanical steering in the event of a system failure.

### Xtreme Power Assist Clearance Requirements



# DOMETIC



Mfg #XPA1012P

**Order No. 60065**<sup>TW</sup> \$1999.99


MANUFACTURER	MODEL	DIMENSION "X"
Suzuki	DF70A, DF80A, DF90A	10.2"
	DF100A, DF115A, DF140A	10.2"
Yamaha	DF180A, DF175A, DF200A	10.2"
	F75C, F100B, F115A	10.2"
Honda	F75B, F80B, F90B, F100D	10.2"
	F75F, F90C/D, F100I/G, F115B, F130A	10.2"
Mercury	F150A/B, F150C/D/E, F165A, F175A/B, F185A, F200I/G	10.0"
	BF75, BF90, BF100	10.2"
Evinrude	BF115, BF135, BF150	10.2"
	BF200	10.2"
Evinrude	75/90/115 four stroke, 70/90/115 SeaPro, 115 ProXS	10.2"
	135/150 four stroke, 135/150 SeaPro, 150 ProXS	10.6"
Evinrude	175/200 four stroke, 200 SeaPro, 175 ProXS	10.2"
	E75 (DPL, DPK, DSL)	9.6"
Evinrude	E90 (DPL, DPK, DSL)	9.6"
	E115 (DCX, DCX, DPL, DPK, DPK, DSL, HSL)	9.6"
Evinrude	E130 (DCX, DPL, DPK, DSL)	9.6"
	DE150/E150 (DCX, DPK, DPK, DCX, DPL, DPL, DPK, DSL, HSL)	9.6"
Evinrude	E175 (DCX, DPL, DPK, DSL)	9.6"
	DE200/E200 (2.6L - CX, PK, DCX, DPK, DSL)	9.6"



## NaviTech Power Steering System

Taking the latest technology from the automotive industry, Ultraflex has combined Electronic Power Steering (EPS) with the latest mechanical steering helms and Mach 90 high efficiency steering cable. EPS Steering offers fingertip steering. M90SS high efficiency cable delivers unprecedented performance. Ideal solution for long cable runs and tight bend applications.

- Tilt mechanism: X66 - 40613M
- Steering Cable Sold Separately
- Automotive steering effort and response
- 10 - 15 Vdc and 8 - 15 A nominal current during steering maneuvers
- Supplied with 10 ft electrical harness. It needs a 40 A fuse (to be ordered separately).
- Works with outboard engines Up to 150 hp, maximum 50 mph, no jackplates



ATTENTION: M90 Nav steering cable is suitable for use also with T71FC, T72FC, T73N-RFC, T81FC, T82FC, T83NRFC, T91, T93ZT, T101, T103ZT. Ultraflex steering helms. M66 will not fit the following Uflex helms: T91, T93ZT, T101, T103ZT.

### M90 Steering Cable

**ALL LENGTHS \$244.99**

Power Steering Helm \*\*SO\*\*

Mfg #NTECH-EPS

Order No. 63310<sub>TF</sub> \$2259.99

Length	Order No.	Length	Order No.	Length	Order No.
10'	63298 <sub>THF</sub>	14'	63302 <sub>THF</sub>	18'	63306 <sub>THF</sub>
11'	63299 <sub>THF</sub>	15'	63303 <sub>THF</sub>	19'	63307 <sub>THF</sub>
12'	63300 <sub>THF</sub>	16'	63304 <sub>THF</sub>	20'	63308 <sub>THF</sub>
13'	63301 <sub>THF</sub>	17'	63305 <sub>THF</sub>		



## Panther XPS Gen 2 Power Steering System



This hybrid steering system combines the durability and dependability of cable steering with the ease of automobile-like power steering. It eliminates the effect of prop torque, allowing for easy maneuvering in tight quarters as well as safe and controlled turns at high speeds.

The Panther XPS System gradually reverts to cable steering in case of failure, you are never without steering!

- Includes 2 quarts of specially formulated, fully synthetic hydraulic fluid.

For optimal performance, the Panther XPS System should be installed on outboard motors from 90 to 250 HP that are equipped with a "feedback" style helm and single cable steering. Installations may be done on boats with a "no-feedback" style helm as well, however the benefits of the Panther XPS Power Steering will be slightly diminished.

**\*\*SPECIAL ORDER\*\***

Mfg #	Size	Order No.	Retail
10-9600	Rotary Steering Assist Gen 2	57109 <sub>TF</sub>	\$1529.99
10-6106	6' Hose Assembly	57112 <sub>T</sub>	167.99
10-6107	7' Hose Assembly	57114 <sub>T</sub>	182.99
10-6108	8' Hose Assembly	57116 <sub>T</sub>	199.99
10-6110	10' Hose Assembly	57118 <sub>T</sub>	214.99

\*Additional Hose Assembly sizes available, call for details.



\*All Grant steering wheels include aluminum injected hub (black powder coated)

Mfg No.	Description	Order No.	Retail
530-1-BS	14" Diameter	25397 <sub>TF</sub>	\$129.99

Navigation  
Lites

Steering/  
Controls

Hardware/  
Fasteners

Covers/  
Windshield

Pumps/  
Int. Lites

Electric/  
Battery

Trolling  
Motor

Gauges

Electronics/  
Radios

Fuel

Lube/  
Motor Care

Aux. Brkts/  
Tilt/Trim

Spark Plug/  
Starters

Props

Seats/  
Pedestals

Anchors/  
Rod Holder

Winches/  
Jacks

Lites/  
Tie Downs

Tires/  
Couplers

Boat  
Care

Misc./  
Flooring

Ski's/Tubes

Floatation

Ladders

Water  
Front

Fenders/  
Dock Lines

Navigation  
LitesSteering/  
ControlsHardware/  
FastenersCovers/  
WindshieldPumps/  
Int. LitesElectric/  
BatteryTrolling  
Motor

Gauges

Electronics/  
Radios

Fuel

Lube/  
Motor CareAux. Brkts/  
Tilt/TrimSpark Plug/  
Starters

Props

Seats/  
PedestalsAnchors/  
Rod HolderWinches/  
JacksLites/  
Tie DownsTires/  
CouplersBoat  
CareMisc./  
Flooring

Ski's/Tubes

Floatation

Ladders

Water  
FrontFenders/  
Dock Lines**TUFLEX****Nisida Steering Wheel**

- 13.8" Dia. 3/4" Taper
- Hub included

Mfg #NISIDA-B/P

**Order No. 63295<sub>TF</sub>** \$169.99**TUFLEX****Ustica Steering Wheel**

- 13.2" Dia. 3/4" Taper
- Hub included

Mfg #USTICA-B/S

**Order No. 63296<sub>TF</sub>** \$139.99**TUFLEX****V24 Steering Wheel**

- 13.8" Dia. 3/4" Taper
- Hub included

Mfg #V24B

**Order No. 63297<sub>TF</sub>** \$149.99**SEASTAR  
SOLUTIONS®****Champion****Ace****Mfg No.****Description****Order No.****Retail**

SW59291B

"Champion" 13-1/2" Dia. 3/4" Taper

**60673<sub>T</sub>**

\$75.99

SW59691B

"Ace" 13-1/2" Dia. 3/4" Taper

**60675<sub>T</sub>**

45.99

**Steering Wheel Hardware**

For mechanical helms  
with tapered shafts  
SA27454P  
(Included in bezel kits)

\$15.99

**Order No. 60669****DetMar  
CORPORATION****Viper****Legend****Contour****Mfg No.****Description****Order No.****Retail**

12-2502AC

Viper 13.4" Dia. 3/4" Taper

**15595<sub>T</sub>**

\$55.99

12-2800C

Legend 13.5" Dia. 3/4" Taper

**15597<sub>T</sub>**

43.99

12-2301AC

Contour 13.75" Dia. 3/4" Taper

**15598<sub>T</sub>**

56.99

**JIF**  
JIF MARINE LLC**Steering Wheel**

- Hard black grip with Center Cap
- 12.75" Dia. 3/4" Taper - 3" Dish

Mfg #EDG

**Order No. 30634<sub>T</sub>** \$59.99**attwood****Soft Grip Steering Wheel**

- Hard plastic center cap
- 13" Dia. 3/4" Taper - 3-3/8" Dish
- Resists UV rays

Mfg #8315-4

**Order No. 07151<sub>T</sub>** \$49.99

 **DOMETIC**


**SS137**  
**Safe-T QC Steering System**

**ALL LENGTHS \$244.99**

	T		T
Length	Order No.	Length	Order No.
10'	<b>60101</b>	15'	<b>60106</b>
11'	<b>60102</b>	16'	<b>60107</b>
12'	<b>60103</b>	17'	<b>60108</b>
13'	<b>60104</b>	18'	<b>60109</b>
14'	<b>60105</b>	19'	<b>60110</b>
		20'	<b>60111</b>

 **DOMETIC**

**SS132 Safe-T II**  
**Single Cable**  
**NFB System**

- Compact, rugged rotary helm
- Patented No Feedback Technology
- 3.0 turns lock-to-lock
- Fits Boats up to 24' - non power assisted outboard
- Replaces Teleflex Safe-T without dash modification



T			T		
Length	Order No.	Retail	Length	Order No.	Retail
10'	<b>60461</b>	\$349.99	15'	<b>60466</b>	\$365.99
11'	<b>60462</b>	350.99	16'	<b>60467</b>	366.99
12'	<b>60463</b>	354.99	17'	<b>60468</b>	369.99
13'	<b>60464</b>	359.99	18'	<b>60469</b>	373.99
14'	<b>60465</b>	364.99	19'	<b>60470</b>	376.99
			20'	<b>60471</b>	379.99

 **DOMETIC**

**SS147 NFB 4.2 Rotary**  
**Single Cable System**

**ALL LENGTHS**  
**\$349.99**

- Fits Boats up to 24' - non power assisted outboard
- Replaces SeaStar Safe-T without dash modification
- Compact, rugged rotary helm
- Patented No Feedback Technology
- 4.2 turns lock-to-lock
- Standard 3/4" tapered steering shaft
- Stainless steel telescopic ram
- Meets N.M.M.A. certification & A.B.Y.C. standards



Length	Order No.	Length	Order No.	Length	Order No.
10'	<b>60339<sub>T</sub></b>	14'	<b>60343<sub>T</sub></b>	18'	<b>60347<sub>T</sub></b>
11'	<b>60340<sub>T</sub></b>	15'	<b>60344<sub>T</sub></b>	19'	<b>60348<sub>T</sub></b>
12'	<b>60341<sub>T</sub></b>	16'	<b>60345<sub>T</sub></b>	20'	<b>60349<sub>T</sub></b>
13'	<b>60342<sub>T</sub></b>	17'	<b>60346<sub>T</sub></b>		

 **UFLEX**

**RoTech Rotary Steering System**

Featuring the T71FC helm with a planetary gear design. Reduces steering effort and delivers more balanced loads on the steering wheel, which improves durability and lost motion. Direct replacement for competing system, requiring no new holes for installation. Fits non-power assisted V-4 and smaller outboards up to 50mph.

- Turns Lock-to-Lock: 3.8
- Replacement cable M66 series
- Warranty: 2 years.

Length	Order No.	Length	Order No.
10'	<b>63250<sub>THF</sub></b>	16'	<b>63256<sub>THF</sub></b>
11'	<b>63251<sub>THF</sub></b>	17'	<b>63257<sub>THF</sub></b>
12'	<b>63252<sub>THF</sub></b>	18'	<b>63258<sub>THF</sub></b>
13'	<b>63253<sub>THF</sub></b>	19'	<b>63259<sub>THF</sub></b>
14'	<b>63254<sub>THF</sub></b>	20'	<b>63260<sub>THF</sub></b>
15'	<b>63255<sub>THF</sub></b>		

**ALL LENGTHS \$239.99**

Navigation  
LitesSteering/  
ControlsHardware/  
FastenersCovers/  
WindshieldPumps/  
Int. LitesElectric/  
BatteryTrolling  
Motor

Gauges

Electronics/  
Radios

Fuel

Lube/  
Motor CareAux. Brkts/  
Tilt/TrimSpark Plug/  
Starters

Props

Seats/  
PedestalsAnchors/  
Rod HolderWinches/  
JacksLites/  
Tie DownsTires/  
CouplersBoat  
CareMisc./  
Flooring

Ski's/Tubes

Floatation

Ladders

Water  
FrontFenders/  
Dock Lines



**UFLEX****Racktech Steering System**

The Racktech Rack and Pinion steering package offers a compact installation and features the M86 cable with an armor wrapped stainless steel core for maximum efficiency and minimal lost motion. Ideal for boats with minimal clearance behind the dash, the Racktech is recommended for power assisted sterndrives and other applications with minimal rudder torque.

**ALL LENGTHS \$249.99****Length Order No.**

10'	<b>63530</b> <sub>THF</sub>
11'	<b>63531</b> <sub>THF</sub>
12'	<b>63532</b> <sub>THF</sub>
13'	<b>63533</b> <sub>THF</sub>
14'	<b>63534</b> <sub>THF</sub>
15'	<b>63535</b> <sub>THF</sub>

**Length Order No.**

16'	<b>63536</b> <sub>THF</sub>
17'	<b>63537</b> <sub>THF</sub>
18'	<b>63538</b> <sub>THF</sub>
19'	<b>63539</b> <sub>THF</sub>
20'	<b>63540</b> <sub>THF</sub>

**SS141 Back Mount Rack  
Single Cable System**

- Fits Boats up to 24' -- non power assisted outboard
- Back Mount Design for Easy Installation!
- Pre-assembled Rack & Cable • 4 Turns Lock-to-Lock
- Standard 3/4" tapered steering shaft • Stainless steel telescopic ram
- Meets N.M.M.A. certification requirements & A.B.Y.C. standards

**DOMETIC****ALL LENGTHS \$279.99****Length Order No.**

8'	<b>60472</b> <sub>THF</sub>
9'	<b>60473</b> <sub>THF</sub>
10'	<b>60474</b> <sub>THF</sub>
11'	<b>60475</b> <sub>THF</sub>
12'	<b>60476</b> <sub>THF</sub>

**Length Order No.**

13'	<b>60477</b> <sub>THF</sub>
14'	<b>60478</b> <sub>THF</sub>
15'	<b>60479</b> <sub>THF</sub>
16'	<b>60480</b> <sub>THF</sub>

**Length Order No.**

17'	<b>60481</b> <sub>THF</sub>
18'	<b>60482</b> <sub>THF</sub>
19'	<b>60483</b> <sub>THF</sub>
20'	<b>60484</b> <sub>THF</sub>

**DOMETIC****SS151 NFB Rack  
Single Cable  
System**

- Fits Boats up to 24' -- non power assisted outboard
- Replaces standard SeaStar Rack without dash modification
- Precision Rack and Pinion Steering
- Patented No Feedback Technology
- 4 Turns Lock-to-Lock
- Standard 3/4" tapered steering shaft
- Stainless steel telescopic ram
- Meets N.M.M.A. certification requirements & A.B.Y.C. standards

**Length Order No. Retail**

10'	<b>60485</b> <sub>T</sub>	\$389.99	15'	<b>60490</b> <sub>T</sub>	\$392.99
11'	<b>60486</b> <sub>T</sub>	393.99	16'	<b>60491</b> <sub>T</sub>	396.99
12'	<b>60487</b> <sub>T</sub>	397.99	17'	<b>60492</b> <sub>T</sub>	417.99
13'	<b>60488</b> <sub>T</sub>	385.99	18'	<b>60493</b> <sub>T</sub>	421.99
14'	<b>60489</b> <sub>T</sub>	388.99	19'	<b>60494</b> <sub>T</sub>	425.99
			20'	<b>60495</b> <sub>T</sub>	429.99

**DOMETIC****SS152 NFB  
Pro Rack  
Twin Cable  
System**

- Fits Boats up to 24' -- non power assisted outboard
- Replaces standard SeaStar Rack without dash modification
- Precision Rack and Pinion Steering
- Patented No Feedback Technology
- 4 Turns Lock-to-Lock
- Standard 3/4" tapered steering shaft
- Stainless steel telescopic ram
- Meets N.M.M.A. certification requirements & A.B.Y.C. standards

**Length OrderNo. Retail**

12'	<b>60496</b> <sub>T</sub>	\$773.99
13'	<b>60497</b> <sub>T</sub>	781.99
14'	<b>60498</b> <sub>T</sub>	789.99
15'	<b>60499</b> <sub>T</sub>	833.99
16'	<b>60500</b> <sub>T</sub>	841.99



### SSC62 QCII

#### Rotary Steering Cable

Replaces SSC72 and SSC61 Cables  
Replaces Morse 304415




(Does NOT include SA27620 Adapter)

Mfg #SA27620P

Order No. 60637 \$29.99



#### Now One SeaStar Cable Fits All These Rotary Helms



For Replacement Cable Measure Conduit and ADD 18"

Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
6'	60416 <sub>THF</sub>	\$210.99	11'	60421 <sub>THF</sub>	\$163.99	16'	60426 <sub>THF</sub>	\$165.99
7'	60417 <sub>THF</sub>	209.99	12'	60422 <sub>THF</sub>	163.99	17'	60427 <sub>THF</sub>	165.99
8'	60418 <sub>THF</sub>	162.99	13'	60423 <sub>THF</sub>	164.99	18'	60428 <sub>THF</sub>	166.99
9'	60419 <sub>THF</sub>	162.99	14'	60424 <sub>THF</sub>	164.99	19'	60429 <sub>THF</sub>	166.99
10'	60420 <sub>THF</sub>	162.99	15'	60425 <sub>THF</sub>	164.99	20'	60430 <sub>THF</sub>	167.99
						22'	60431 <sub>THF</sub>	269.99



### SSC52/SSC290 Steering Cable

For Replacement Cable Measure Conduit and ADD 18"

Replaces: Morse Command 290 Rotary Cables, 304411



Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
5'	43005	\$125.99	8'	60546	\$235.99	10'	60548	\$239.99
7'	60545	235.99						

### SSC130 Command 200 Cable

For Replacement Cable Measure Conduit and ADD 30"

**\*\*SPECIAL ORDER\*\***

Length	Order No.	Retail
10'	60532	\$234.99



Navigation  
Lites

Steering/  
Controls

Hardware/  
Fasteners

Covers/  
Windshield

Pumps/  
Int. Lites

Electric/  
Battery

Trolling  
Motor

Gauges

Electronics/  
Radios

Fuel

Lube/  
Motor Care

Aux. Brkts/  
Tilt/Trim

Spark Plug/  
Starters

Props

Seats/  
Pedestals

Anchors/  
Rod Holder

Winches/  
Jacks

Lites/  
Tie Downs

Tires/  
Couplers

Boat  
Care

Misc./  
Flooring

Ski's/Tubes

Floatation

Ladders

Water  
Front

Fenders/  
Dock Lines



### SSC134 Single Rack Cable (1998 and Newer)

For Replacement Cable  
Measure Conduit and ADD 30"



Rectangular Rack

Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
9'	<b>60505</b> <sub>THF</sub>	\$249.99	13'	<b>60509</b> <sub>THF</sub>	\$216.99	17'	<b>60513</b> <sub>THF</sub>	\$228.99
10'	<b>60506</b> <sub>THF</sub>	253.99	14'	<b>60510</b> <sub>THF</sub>	219.99	18'	<b>60514</b> <sub>THF</sub>	231.99
11'	<b>60507</b> <sub>THF</sub>	258.99	15'	<b>60511</b> <sub>THF</sub>	222.99	19'	<b>60515</b> <sub>THF</sub>	234.99
12'	<b>60508</b> <sub>THF</sub>	213.99	16'	<b>60512</b> <sub>THF</sub>	225.99	20'	<b>60516</b> <sub>THF</sub>	238.99



### SSC135 Dual Rack Cable

For Replacement Cable Measure Conduit and ADD 30"



Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
11'	<b>60521</b> <sub>THF</sub>	\$659.99	14'	<b>60524</b> <sub>THF</sub>	\$683.99	17'	<b>60527</b> <sub>THF</sub>	\$708.99
12'	<b>60522</b> <sub>THF</sub>	667.99	15'	<b>60525</b> <sub>THF</sub>	691.99	18'	<b>60528</b> <sub>THF</sub>	716.99
13'	<b>60523</b> <sub>THF</sub>	675.99	16'	<b>60526</b> <sub>THF</sub>	700.99			



### M86 Universal Rack Cable

The M86 Universal Rack Steering Cable is the one and only cable that directly replaces Uflex, Teleflex SC124 "The Rack" and Morse Command 200 steering cables with no adapters. This cable features solid stainless steel engine output fittings for enhanced longevity and durability. The armor wrapped stainless steel core delivers the ultimate in efficiency with minimal lost motion



**ALL LENGTHS \$209.99**

Length	Order No.	Length	Order No.	Length	Order No.
10'	<b>63550</b> <sub>THF</sub>	13'	<b>63553</b> <sub>THF</sub>	17'	<b>63557</b> <sub>THF</sub>
11'	<b>63551</b> <sub>THF</sub>	14'	<b>63554</b> <sub>THF</sub>	18'	<b>63558</b> <sub>THF</sub>
12'	<b>63552</b> <sub>THF</sub>	15'	<b>63555</b> <sub>THF</sub>	19'	<b>63559</b> <sub>THF</sub>
		16'	<b>63556</b> <sub>THF</sub>	20'	<b>63560</b> <sub>THF</sub>



### M66X Universal Quick Connect Rotary Steering Cable Stainless steel output fittings for longevity and smooth steering.

**ALL LENGTHS \$164.99**



Length	Order No.	Length	Order No.
10'	<b>63274</b> <sub>THF</sub>	16'	<b>63280</b> <sub>THF</sub>
11'	<b>63275</b> <sub>THF</sub>	17'	<b>63281</b> <sub>THF</sub>
12'	<b>63276</b> <sub>THF</sub>	18'	<b>63282</b> <sub>THF</sub>
13'	<b>63277</b> <sub>THF</sub>	19'	<b>63283</b> <sub>THF</sub>
14'	<b>63278</b> <sub>THF</sub>	20'	<b>63284</b> <sub>THF</sub>
15'	<b>63279</b> <sub>THF</sub>		

### Single Rotary Steering Helm



Mfg #T71FC  
**Order No. 63269**    \$134.99

### 90 Degree Mounting Bezel



Mfg #X34  
**Order No. 63267**    \$41.99

### 20 Degree Mounting Bezel



Mfg #X35  
**Order No. 63270**    \$51.99



## Rotary Helms (Uses SSC61/SSC62 Cables)



**Safe-T "QC" Quick-Connect**  
SH5094-1P Single \$109.99  
Order No. 60280<sub>T</sub>




**Safe-T "QC" Quick-Connect**  
SH4952P Dual \$339.99  
Order No. 60285<sub>T</sub>




**90-Degree Mount (Black) SB27484P**  
Order No. 60579 \$39.99




**20-Degree Mount (Black) SB27483P**  
Order No. 60611 \$54.99



**Safe-T II "NFB" No-Feedback**  
SH5150P Single \$189.99  
Order No. 60282<sub>T</sub>



**4.2 Rotary "NFB" No-Feedback**  
SH4910P Single \$189.99  
Order No. 60272<sub>T</sub>



**4.2 Rotary "NFB" No-Feedback**  
SH4920P Dual \$345.99  
Order No. 60273<sub>T</sub>



**90-Degree Mount (Black) SB27150P**  
Order No. 60580 \$46.99



**20-Degree Mount (Black) SB27483P**  
Order No. 60611 \$54.99



## Tilt Rotary Helms (Use SSC61/SSC62 Cables)



**Safe-T "QC" Quick-Connect**  
SH91523-1P Single \$154.99  
Order No. 60266<sub>T</sub>

**Safe-T II "NFB" No-Feedback**  
SH91190P Single \$219.99  
Order No. 60275<sub>T</sub>



**4.2 Rotary "NFB" No-Feedback**



SH91526P Single \$295.99  
Order No. 60270<sub>T</sub>

**4.2 Rotary "NFB" No-Feedback**



SH91527P Dual \$401.99  
Order No. 60271<sub>T</sub>

**Performance Tilt Unit**



SH91800P \$194.99  
Order No. 60264<sub>T</sub>

For use with All tilt helms



## Rack & Pinion Helms



Single SH5210P \$99.99  
Order No. 60283<sub>T</sub>



**90° Back Mount**  
SB39526P \$36.99  
Order No. 60672



**20° Wedge Kit**  
SB27449P \$39.99  
Order No. 60602



**Friction Device**  
SA 39531P \$51.99  
Order No. 60606



Single SH5230P \$199.99  
Order No. 60284<sub>T</sub>

## "Back Mount"

Use Either SSC134 or SSC135 Dual Cables



**90° Back Mount**  
SB39544P \$39.99  
Order No. 60668



**20° Wedge Kit**  
SB27449P \$39.99  
Order No. 60602

Navigation  
Lites

Steering/  
Controls

Hardware/  
Fasteners

Covers/  
Windshield

Pumps/  
Int. Lites

Electric/  
Battery

Trolling  
Motor

Gauges

Electronics/  
Radios

Fuel

Lube/  
Motor Care

Aux. Brkts/  
Tilt/Trim

Spark Plug/  
Starters

Props

Seats/  
Pedestals

Anchors/  
Rod Holder

Winches/  
Jacks

Lites/  
Tie Downs

Tires/  
Couplers

Boat  
Care

Misc./  
Flooring

Ski's/Tubes

Floatation

Ladders


Water  
Front

Fenders/  
Dock Lines



SEASTAR  
SOLUTIONS**Tilt Rack & Pinion Helms**

Uses SSC134 Single or SSC135 Dual Cables




**"NFB" Tilt Helm**  
(4 turns lock-to-lock)  
Single SH91630P  
\$229.99  
**Order No. 60279<sub>T</sub>**



**"Back Mount" Tilt Helm**  
Single SH91610P \$139.99  
**Order No. 60278<sub>T</sub>**



**Performance Tilt Unit**  
SH91800P \$194.99  
**Order No. 60264<sub>T</sub>**



Clamp Block for Outboards  
SA27055P  
**Order No. 60571 \$164.99**



**SST Clevis Kit**

Mfg #	Description	Order No.	Retail
SA27314P	Short Bolt Kit	<b>60651</b>	\$69.99
SA27329P	Long Bolt Kit	<b>60652</b>	69.99

Splashwell Threaded  
Support Tube W/Ball  
SA36316P



**Order No. 60677 \$65.99**

Aluminum  
Support Tube  
SA27274P



**Order No. 60639 \$41.99**



Spent Tube  
for NFB & Safe-T QC Helms  
SA38603P

**Order No. 60692 \$13.99**




Spent Tube  
for Safe-T "TS" Helms  
SA35680P

**Order No. 60676 \$13.99**



SSC61 Cable Adapter  
for "TS" Threaded Helms SA27620P

**Order No. 60637 \$29.99**



Hitch Pin & Tag for  
Quick-connect Helms  
SA27245P

**Order No. 60621 \$7.99**

**Standard 3/8" Diameter****Link Arms (Plated Steel)**

Adjustable ball joints and nylon lock nuts to insure vibration proof locking.


SLA-940F 60-120 H.P. Johnson/Evinrude \$89.99 **Order No. 57830**  
 SLA-950F 60-120 H.P. Mercury 99.99 **Order No. 57831**



3/8" N.F. thin S.S. nylon lock replacement nuts for all steering link arms. #151  
 \$3.99 ea.  
**Order No. 57874**

**Clamp Mount Kit**

These kits mount on the engine clamp brackets to provide thru tube steering. Freshwater kits include aluminum brackets and plated hardware.




FWK-3477 50 H.P. Johnson/Evinrude \$224.99 **Order No. 57872<sub>THF</sub>**

**Fits:**

Mariner 9.9-15 HP 1982 and newer  
 Suzuki 9.9-15-16-25 HP 1982 and newer  
 John/Evin 9.9-15-25-30-35-40 HP 1977 and newer  
 Yamaha 9.9-15 HP 1984 and newer

**Clamp Mount Kit**

This freshwater kit fits under the engine clamps and is designed to prevent motor from jumping off transom. Also prevents transom damage by the clamps. Constructed of aluminum and plated steel.




FWK-3475 \$219.99

**Order No. 57870<sub>THF</sub>**

**Front Mount Kit**

For use when obstructions prevent thru tube installations. Fits over motor mounting bolts. Freshwater kit with aluminum brackets and plated steel hardware.




**Fits:** 50-140 HP Johnson/Evinrude FWK-3470 \$269.99 **Order No. 57867<sub>THF</sub>**

**Fits:**


Mercury 1980 and newer Black Max  
 Mariner 1980 and newer  
 Fits all Mercury-Mariner 2.4  
 Suzuki 150-150SS-200 HP 1986 and newer  
 Suzuki 115-140 HP 1987 and newer  
 Johnson 115-140 4-stroke

**Steering Link Arm NOT included in this kit**

**Dual - Same Side**

OSM-3798 \$204.99

**Order No. 57827<sub>THF</sub>**

**Dual - Same Side**

Dual cable kit for cables installed down same side of boat (port or star-board). Steering tube and all parts are provided for simple hook up. Stainless steel and gold plated aluminum makes this kit corrosion resistant.

Yamaha 115-220 HP 1984 and newer

**Steering Link Arm NOT included in these kits**

OSM-3792 \$204.99

**Order No. 57823<sub>THF</sub>**

Navigation  
LitesSteering/  
ControlsHardware/  
FastenersCovers/  
WindshieldPumps/  
Int. LitesElectric/  
BatteryTrolling  
Motor

Gauges

Electronics/  
Radios

Fuel

Lube/  
Motor CareAux. Brkts/  
Tilt/TrimSpark Plug/  
Starters

Props

Seats/  
PedestalsAnchors/  
Rod HolderWinches/  
JacksLites/  
Tie DownsTires/  
CouplersBoat  
CareMisc./  
Flooring

Ski's/Tubes

Floatation

Ladders

Water  
FrontFenders/  
Dock Lines



### Oval Grommet

- 1-1/2" x 3" Grommet



Mfg #OG-1-DP  
**Order No. 57426** \$7.99



### Split Motorwell Boot

4" Diameter hole

Includes tie for secure fit. Black rubber construction with polypropylene attachment gasket ring.



Mfg #12820-5  
**Order No. 09295** \$11.99



CBG

UG



CB



CBR

Tough, flexible vinyl. Pass cables and wires thru without damage. Both designs hold wires and cables tight to prevent chafing.

Mfg #	Description	Order No.	Retail
UG-1-DP	2-1/4" Utility grommet	<b>57425</b>	\$16.99
CB-1-DP	3" Motorwell boot	<b>57394</b>	\$11.99
CB-2-DP	2" Motorwell boot	<b>57396</b>	10.99
CB-4-DP	4-1/2" Motorwell boot	<b>57397</b>	16.99
CBG-1-DP	Grommet fits 3" cable boot	<b>57401</b>	\$8.49
CBG-2-DP	Grommet fits 2" cable boot	<b>57402</b>	7.99
CBR-1-DP	Reinforcing ring 3"	<b>57404</b>	\$4.99
CBR-2-DP	Reinforcing ring 2"	<b>57405</b>	4.99



### Steering Cable Boot

Protects against cable freeze-up, rust and corrosion. Extends steering cable life. Keeps steering cable lubricated. Fits most outboard and I/O steering cables.

Mfg #SB-34  
**Order No. 57792** \$26.99



### Steering Tube Cleaning Brush



Cleans corroded engine tilt tubes. Constructed of steel wire with 8" shaft. For use with electric drill.

Mfg #TB-10  
**Order No. 57787** \$35.99



### Tiller Cable

- 3/16" diameter
- 250' Spool
- Replaces steering cable
- Vinyl jacketed twisted steel



Mfg #51820  
**Order No. 62598** \$99.99



Tiller Line Clamp  
For 3/16" to 1/4" cable  
(1-pr/Skin Pack)

Mfg #8043-3  
**Order No. 07121** \$23.99



Pulley Strap  
Chrome plated  
length 1-1/2" (2/card)

Mfg #1225  
**Order No. 58610** \$9.99



### Zippered Rigging Sleeve 48\"/>

- Zips On & Off to protect cables and hoses
- Rugged sunbrella - Weather & UV Resistant
- Ends are secured with cable ties

Mfg #ZRS-1-DP

Order No. 57451<sub>T</sub> \$74.99



Navigation  
Lites

Steering/  
Controls

Hardware/  
Fasteners

Covers/  
Windshield

Pumps/  
Int. Lites

Electric/  
Battery

Trolling  
Motor

Gauges

Electronics/  
Radios

Fuel

Lube/  
Motor Care

Aux. Brkts/  
Tilt/Trim

Spark Plug/  
Starters

Props

Seats/  
Pedestals

Anchors/  
Rod Holder

Winches/  
Jacks

Lites/  
Tie Downs

Tires/  
Couplers

Boat  
Care

Misc./  
Flooring

Ski's/Tubes

Floatation

Ladders

Water  
Front

Fenders/  
Dock Lines



### Cable Loom

- Black polyethylene corrugated loom is durable; split for easy installation.
- For protection of wires on cars, buses, trucks, and boats.
- Coiled and boxed.
- Temp rating of 93°C (200°F)




Mfg #	Size	Order No.	Retail
05749	1/4" x 100'	19205	\$29.99
05750	3/8" x 100'	19206	34.99
05751	1/2" x 100'	19207	44.99
05752	5/8" x 100'	19209	56.99



### Split Wire Conduit



Mfg #	Size	Order No.	Retail
16-128-0146B	1/4" x 50'	63627	\$25.99
16-128-0386B	3/8" x 50'	63628	27.99
16-128-0126B	1/2" x 50'	63630	29.99
16-128-0586B	5/8" x 50'	63632	34.99
16-128-0346B	3/4" x 50'	63634	36.99
16-128-1006B	1" x 50'	63636	53.99
16-128-1146B	1-1/4" x 50'	63638	84.99
16-128-1126B	1-1/2" x 50'	63640	130.99



Flex is a light weight jacketing for bundling and protecting wires, cables and hoses. Braided from high temperature yarns, Flex offers total protection for wire and cable assemblies. Flex expands to four times its original size.

### Flex Sleeve Spooled

Mfg #	Description	Order No.	Retail
FLX-50	1/2" Flex sleeving - 100' spool	57441	\$139.99
FLX-75	3/4" Flex sleeving - 100' spool	57442	184.99
FLX-150	1-1/2" Flex sleeving - 50' spool	57444	\$174.99
FLX-200	2" Flex sleeving - 50' spool	57445	214.99



### Rigging Hose

Mfg #	Description	Order No.	Retail
18-9883Black	Hose Kit - 2" x 5'	89883B <sub>N</sub>	\$72.19
18-9761Black	Hose Flange	89761B <sub>N</sub>	9.89
18-9761White	Hose Flange	89761W <sub>N</sub>	9.89
16-126-2003B	Hose - 2" x 10'	63642	77.99
16-126-2000B	Hose - 2" x 50'	63644	259.99



57408



57407



### Rigging Flanges

- Use with 2" ID hose



Mfg #	Description	Order No.	Retail
RFHU-1	Rigging Flange Hose Union	57408	\$19.99
RFFHP-1	Flange with Fuel Hose Port	57407	23.99



Navigation  
LitesSteering/  
ControlsHardware/  
FastenersCovers/  
WindshieldPumps/  
Int. LitesElectric/  
BatteryTrolling  
Motor

Gauges

Electronics/  
Radios

Fuel

Lube/  
Motor CareAux. Brkts/  
Tilt/TrimSpark Plug/  
Starters


Props

Seats/  
PedestalsAnchors/  
Rod HolderWinches/  
JacksLites/  
Tie DownsTires/  
CouplersBoat  
CareMisc./  
Flooring

Ski's/Tubes

Floatation

Ladders

Water  
FrontFenders/  
Dock Lines**Hot Foot**

Foot throttle for outboard and inboard engines. A safety feature adaptable to all high performance boats. Uses standard control cables for easy hook-up. Mounts to floor of boat.



Mfg #	Description	Order No.	Retail
HF-1	Fits Most Applications	<b>57358<sub>T</sub></b>	\$239.99
HFS-1	Replacement Spring	<b>57354</b>	25.99



**Hot Foot  
Slide Mount**  
• 5" of Slide

Mfg #HFM-1  
**Order No. 57360<sub>T</sub>** \$109.99

**Hot Foot Pro****Top Load Foot Throttle**

- Patented idle stop for Ficht & Opti-max engines
- Stainless steel return spring
- Teflon bushings on all critical pivot points
- Toe clip for added security.
- Fits OMC, Merc/Mariner

Mfg #HF-1T  
**Order No. 57359<sub>T</sub>** \$249.99

**Side Mount Control Box**

For Johnson/Evinrude/OMC BRP Outboards.

Push-to-prime ignition key switch, Fast idle warm-up lever, Emergency cut-off switch and lanyard, Power trim

Mfg #5006180  
**Order No. 5006180<sub>N</sub>** \$436.49

**Xtreme Series Controls**

- Trim switch
- Neutral interlock and start-in-gear protection for side mount controls
- Neutral engine warm-up feature
- Accepts most every type of OEM and 3300/33C type cable
- Easily adapted to push or pull cable actuation mode



Mfg #	Description	Order No.	Retail
CHX8554P	Side Mount Control w/o Cutoff-Black	<b>60684<sub>T</sub></b>	\$409.99
CHX8051P	Side Mount Control w/Cutoff-Chrome	<b>60687<sub>T</sub></b>	459.99
CHX8641P	Top Mount Control w/Cutoff-Black	<b>60685<sub>T</sub></b>	\$439.99

**Neutral Safety Switch**

Neutral start switch kit for CH2100P, CH2200P, CH2600P, CH2700P Controls.

Mfg #CA-27090P  
**Order No. 60658<sub>T</sub>** \$49.99



No Longer Available.  
Accessories only.



**Morse SL-3 - Dual Function,  
Single Lever Control Accessories  
Replacement Neutral Safety Switch**

Mfg #051801-033  
**Order No. 43139** \$24.99

No Longer Available.  
Accessories only.



### Shift & Throttle Control Mounting Board

• Made from King StarBoard® marine grade plastic.

Mfg #	Size	Order No.	Retail
950	12"x12"x½"	<b>48004</b>	\$39.99
960	12"x24"x½"	<b>48006</b>	76.99

### CCX633/CC633/33C Supreme

Ideal For Twin Stations & Difficult Routings

For Outboards, Sterndrives & Inboards

- 10-32 UNF threaded ends
- 4" Minimum Bend Radius
- Nominal 3" travel
- Splined Core for unparalleled smoothness and response

**XTREME**



Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
6'	<b>64224</b>	\$63.99	12'	<b>64175</b>	\$73.99	18'	<b>64182</b>	\$82.99
7'	<b>64225</b>	65.99	13'	<b>64176</b>	74.99	19'	<b>64183</b>	84.99
8'	<b>64171</b>	66.99	14'	<b>64177</b>	76.99	20'	<b>64184</b>	86.99
9'	<b>64172</b>	68.99	15'	<b>64178</b>	78.99	22'	<b>64185</b>	89.99
10'	<b>64173</b>	69.99	16'	<b>64179</b>	79.99	24'	<b>64181</b>	92.99
11'	<b>64174</b>	71.99	17'	<b>64180</b>	81.99			

### Universal - CC230/172/3300

Industry standard shift and throttle cable,  
3" travel and 10-32" threads.



Length	Order No.	Retail
24'	<b>64106</b>	\$88.99

### MACHZero 33C

For use with inboard, sterndrive and outboard engines. Stainless steel cable end fittings.



Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
10'	<b>63565</b>	\$53.99	14'	<b>63569</b>	\$61.99	18'	<b>63573</b>	\$71.99
11'	<b>63566</b>	53.99	15'	<b>63570</b>	63.99	19'	<b>63574</b>	74.99
12'	<b>63567</b>	55.99	16'	<b>63571</b>	65.99	20'	<b>63575</b>	76.99
13'	<b>63568</b>	58.99	17'	<b>63572</b>	68.99	22'	<b>63577</b>	81.99

Navigation  
Lites

Steering/  
Controls

Hardware/  
Fasteners

Covers/  
Windshield

Pumps/  
Int. Lites

Electric/  
Battery

Trolling  
Motor

Gauges

Electronics/  
Radios

Fuel

Lube/  
Motor Care

Aux. Brkts/  
Tilt/Trim

Spark Plug/  
Starters

Props

Seats/  
Pedestals

Anchors/  
Rod Holder

Winches/  
Jacks

Lites/  
Tie Downs

Tires/  
Couplers

Boat  
Care

Misc./  
Flooring

Ski's/Tubes

Floatation

Ladders

Water  
Front

Fenders/  
Dock Lines

## Mercury 4000 series controls - Gen II CCX189/CC679

Performance Advantage - Engineered to significantly reduce or eliminate cable "Wig-Wag" - Improve the feel of the Mercury 4000 series control

**XTREME**


Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
12'	<b>64195</b>	\$79.99	16'	<b>64199</b>	\$85.99	20'	<b>64203</b>	\$92.99
13'	<b>64196</b>	80.99	17'	<b>64200</b>	87.99	21'	<b>64261</b>	94.99
14'	<b>64197</b>	82.99	18'	<b>64201</b>	88.99	22'	<b>64262</b>	95.99
15'	<b>64198</b>	83.99	19'	<b>64202</b>	90.99			

## MACH36 Gen II

For Mercury and Mercruiser engines and Mercury Gen II series controls. High performance cables. High quality, long lasting, flexible.

**UFLEX**


Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
12'	<b>63742</b>	\$66.99	16'	<b>63746</b>	\$73.99	20'	<b>63750</b>	\$80.99
13'	<b>63743</b>	68.99	17'	<b>63747</b>	75.99	21'	<b>63751</b>	81.99
14'	<b>63744</b>	70.99	18'	<b>63748</b>	76.99	22'	<b>63752</b>	83.99
15'	<b>63745</b>	71.99	19'	<b>63749</b>	78.99			

## Mercury/Mariner 1965 and newer - CCX179/CC635

Performance Advantage - Premium Control Cable can be used with Mercury/Mariner 1965 and newer and late model Force®


**TFXTREME**


Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
6'	<b>64226</b>	\$70.99	12'	<b>64186</b>	\$78.99	18'	<b>64192</b>	\$88.99
7'	<b>64227</b>	71.99	13'	<b>64187</b>	80.99	19'	<b>64193</b>	89.99
8'	<b>64228</b>	73.99	14'	<b>64188</b>	81.99	20'	<b>64194</b>	91.99
9'	<b>64229</b>	74.99	15'	<b>64189</b>	83.99	22'	<b>64232</b>	97.99
10'	<b>64230</b>	75.99	16'	<b>64190</b>	84.99	24'	<b>64233</b>	100.99
11'	<b>64231</b>	76.99	17'	<b>64191</b>	86.99			

## MACH5 Mercury Style

For Mercury and Mercruiser engines.  
High performance cables. High quality, long lasting, flexible.

**UFLEX**


Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
10'	<b>63720</b>	\$64.99	14'	<b>63724</b>	\$70.99	18'	<b>63728</b>	\$77.99
11'	<b>63721</b>	65.99	15'	<b>63725</b>	72.99	19'	<b>63729</b>	78.99
12'	<b>63722</b>	67.99	16'	<b>63726</b>	74.99	20'	<b>63730</b>	80.99
13'	<b>63723</b>	69.99	17'	<b>63727</b>	75.99			

## Mariner - CC210/630

Replacement cable for Mariner low horsepower engines when used with Mercury controls.


**SEASTAR SOLUTIONS®**


Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
10'	<b>64124</b>	\$83.99	13'	<b>64127</b>	\$88.99	17'	<b>64131</b>	\$95.99
11'	<b>64125</b>	85.99	14'	<b>64128</b>	90.99	18'	<b>64132</b>	97.99
12'	<b>64126</b>	86.99	15'	<b>64129</b>	92.99	19'	<b>64133</b>	98.99
			16'	<b>64130</b>	93.99	20'	<b>64134</b>	100.99

## BRP/OMC Series - CCX205/CC636

Extreme replacement for the 479 Series


**SEASTAR SOLUTIONS®**  
**TFXtreme**


Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
6'	<b>64234</b>	\$69.99	12'	<b>64204</b>	\$78.99	18'	<b>64210</b>	\$87.99
7'	<b>64235</b>	71.99	13'	<b>64205</b>	79.99	19'	<b>64211</b>	89.99
8'	<b>64236</b>	73.99	14'	<b>64206</b>	81.99	20'	<b>64212</b>	91.99
9'	<b>64237</b>	74.99	15'	<b>64207</b>	82.99	22'	<b>64240</b>	97.99
10'	<b>64238</b>	75.99	16'	<b>64208</b>	84.99	24'	<b>64242</b>	100.99
11'	<b>64239</b>	76.99	17'	<b>64209</b>	86.99			

Navigation  
LitesSteering/  
ControlsHardware/  
FastenersCovers/  
WindshieldPumps/  
Int. LitesElectric/  
BatteryTrolling  
Motor

Gauges

Electronics/  
Radios

Fuel

Lube/  
Motor CareAux. Brkts/  
Tilt/TrimSpark Plug/  
Starters

Props

Seats/  
PedestalsAnchors/  
Rod HolderWinches/  
JacksLites/  
Tie DownsTires/  
CouplersBoat  
CareMisc./  
Flooring

Ski's/Tubes

Floatation

Ladders

Water  
FrontFenders/  
Dock Lines





### New Style OMC - CC205/479

Replacement shift and throttle cable for Evinrude, Johnson and OMC 1979 to date.

Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
19'	<b>64043</b>	\$75.99	38'	<b>64053</b>	\$108.99	40'	<b>64054</b>	\$117.99

### New Style OMC

Snap-in classic shift and throttle cables. Lubricated liner. Stainless steel core wire and 16 hard drawn steel lay wires. Fits 1979 and newer.



Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
12' - 2/pk	<b>0173112<sub>N</sub></b>	\$63.49	15' - 2/pk	<b>0173115<sub>N</sub></b>	\$68.99	18' - 1/pk	<b>0173118<sub>N</sub></b>	\$75.99
13' - 2/pk	<b>0173113<sub>N</sub></b>	65.49	16' - 1/pk	<b>0173116<sub>N</sub></b>	70.99	19' - 1/pk	<b>0173119<sub>N</sub></b>	77.99
14' - 2/pk	<b>0173114<sub>N</sub></b>	67.49	17' - 1/pk	<b>0173117<sub>N</sub></b>	73.99	20' - 1/pk	<b>0173120<sub>N</sub></b>	79.99



### Old Style OMC - CC170/400

Replacement shift and throttle cables for Evinrude, Johnson and OMC 1978 & earlier

Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
6'	<b>64000</b>	\$68.99	14'	<b>64008</b>	\$75.99	24'	<b>64016</b>	\$114.99
7'	<b>64001</b>	68.99	15'	<b>64009</b>	76.99	26'	<b>64017</b>	98.99
8'	<b>64002</b>	68.99	16'	<b>64010</b>	77.99	28'	<b>64018</b>	102.99
9'	<b>64003</b>	68.99	17'	<b>64011</b>	78.99	32'	<b>64020</b>	74.99
10'	<b>64004</b>	69.99	18'	<b>64012</b>	79.99	34'	<b>64021</b>	85.99
11'	<b>64005</b>	71.99	19'	<b>64013</b>	81.99	36'	<b>64022</b>	96.99
12'	<b>64006</b>	72.99	20'	<b>64014</b>	82.99	38'	<b>64023</b>	106.99
13'	<b>64007</b>	73.99	22'	<b>64015</b>	107.99			

### OMC/Volvo Penta - CCX214

Volvo Engines using BRP/OMC controls.



**TFX<sub>XTREME</sub>**

Length	Order No.	Retail	Length	Order No.	Retail	Length	Order No.	Retail
12'	<b>64250</b>	\$102.99	15'	<b>64253</b>	\$106.99	18'	<b>64256</b>	\$112.99
13'	<b>64251</b>	103.99	16'	<b>64254</b>	108.99	19'	<b>64257</b>	113.99
14'	<b>64252</b>	105.99	17'	<b>64255</b>	110.99	20'	<b>64258</b>	115.99



**Ball Joint Assembly**  
Fits shift and throttle universal  
style cables with 10-32" threads.



Mfg #CA37701P  
**Order No. 60683** \$20.99



**Clamp/Shim Kit**  
For 3300 universal shift  
and throttle cables.



Mfg #CA28020P  
**Order No. 60569** \$13.99



**Johnson/Evinrude Connection Kit**  
For use with 400 & 3400 cables on  
engines 35hp & below. (1973-1978)



Mfg #CA27208P  
**Order No. 60591<sub>T</sub>** \$105.99



**Universal Inboard  
Connection Kit**  
For use with universal type cables.



Mfg #CA27024P  
**Order No. 60567<sub>T</sub>** 74.99



**OMC/Johnson/Evinrude  
Connection Kit**  
For use with 400 & 3400 cables on  
engines over 35hp.(1973-1978)



Mfg #CA27247P  
**Order No. 60619<sub>T</sub>** \$34.99



**Johnson/Evinrude/OMC Pre 1978  
Connection Kit**  
For use with universal type cables.



Mfg #CA27321P  
**Order No. 60663<sub>T</sub>** \$35.99




**Mercury O/B & I/O Connection Kit**  
For use with universal style cables.



Mfg #CA27319P  
**Order No. 60655<sub>T</sub>** \$34.99




**OMC Connection Kit**  
For use with universal cables.



Mfg #CA27320P  
**Order No. 60659<sub>T</sub>** \$29.99




**Mercury Control Adapter**  
Adapts universal cables for use with  
Mercury/Mariner controls.



Mfg #301074  
**Order No. 43116<sub>T</sub>** \$99.99



**OMC Control Adapter**  
Adapts universal cables for use with  
1979 and later OMC controls.



Mfg #304939  
**Order No. 43117<sub>T</sub>** \$149.99

Navigation  
Lites

Steering/  
Controls

Hardware/  
Fasteners

Covers/  
Windshield

Pumps/  
Int. Lites

Electric/  
Battery

Trolling  
Motor

Gauges

Electronics/  
Radios

Fuel

Lube/  
Motor Care

Aux. Brkts/  
Tilt/Trim

Spark Plug/  
Starters

Props

Seats/  
Pedestals

Anchors/  
Rod Holder

Winches/  
Jacks

Lites/  
Tie Downs

Tires/  
Couplers

Boat  
Care

Misc./  
Flooring

Ski's/Tubes

Floatation

Ladders

Water  
Front

Fenders/  
Dock Lines